

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:


Listing of Claims:

Claims 1-16 (canceled)


Claim 17 (currently amended): A compound of formula 1:



wherein Ar^1 is



wherein R^{12} is selected from the group consisting of



R^{13} represents Cl, Br, $\text{COO}(\text{C}_{1-4})\text{alkyl}$ and
 if R^9 is NO_2 , Cl or Br, then R^{13} may also represent F or CH_3 ;


R^{14} , R^{15} ,

R^{31} , R^{32} ,


R^{33} are each independently selected from the group consisting of H, (C₁₋₆)alkyl, (C₃₋₇)cycloalkyl, (C₃₋₇)cycloalkyl-(C₁₋₃)alkyl, (C₂₋₆)alkenyl, O-(C₁₋₄)alkyl, S-(C₁₋₄)alkyl, halo, CF₃, OCF₃, OH, NO₂, CN, SO₂NH₂, SO₂-(C₁₋₄)alkyl, C(O)OR¹ wherein R^1 is H or (C₁₋₄)alkyl, or NR²R³ wherein R^2 and R^3 each independently is H or (C₁₋₄)alkyl;

R^{30} represents H, Cl, Br, COO(C₁₋₄)alkyl;

R^{12C} — is a phenyl of formula



wherein R^{13C} , R^{14C} and R^{15C} each independently represents H, (C₁₋₆)alkyl, (C₃₋₇)cycloalkyl, (C₃₋₇)cycloalkyl-(C₁₋₃)alkyl, (C₂₋₆)alkenyl, O-(C₁₋₄)alkyl, S-(C₁₋₄)alkyl, halo, CF₃, OCF₃, OH, NO₂, CN, SO₂NH₂, SO₂-(C₁₋₄)alkyl, C(O)OR⁴ wherein R^4 is H or (C₁₋₄)alkyl, or NR²R³ wherein R^2 and R^3 each independently is H or (C₁₋₄)alkyl; provided that at least one of R^{13C} , R^{14C} and R^{15C} is other than hydrogen; or R^{12C} is




wherein R^{30} , R^{31} , R^{32} , R^{33} are as defined hereinbefore; and

R^{20A} — is H, (C₁₋₄)alkyl, (C₃₋₇)cycloalkyl or (C₃₋₇)cycloalkyl-(C₁₋₃)alkyl, wherein said alkyl, cycloalkyl or cycloalkylalkyl may be monosubstituted with OH; and

X is S or O;

W is CH₂C(O)NR⁶ wherein R^6 is H or (C₁₋₄)alkyl; and


Ar² is selected from the group consisting of




wherein R^9 is halo or NO_2 ; and if R^{13} is Cl or Br, then R^9 may also represent (C_{1-3}) alkyl;
 R^{10} , R^{11} are independently of each other selected from the group consisting of
 H, (C_{1-6}) alkyl, (C_{3-7}) Cycloalkyl, (C_{3-7}) Cycloalkyl- (C_{1-3}) alkyl, (C_{2-6}) alkenyl, $O(C_{1-6})$ alkyl, $S(C_{1-6})$ alkyl, halo, CF_3 , OCF_3 , OH, NO_2 , CN, $-NR^{N1}R^{N2}$, $-C(O)R^{21}$, $-(C_{1-3})$ alkyl- $C(O)R^{21}$, $-C(O)OR^{22}$, $-(C_{1-3})$ alkyl- $C(O)OR^{22}$, $-SO_2-(C_{1-3})$ alkyl- $C(O)OR^{22}$,
 wherein R^{21} is (C_{1-4}) alkyl and R^{22} is H or (C_{1-4}) alkyl;
 $-(C_{1-3})$ alkyl- $C(O)NH_2$, $C(O)NH_2$, $S(O)-(C_{1-6})$ alkyl, $-SO_2-(C_{1-6})$ alkyl, $-SO_2$ -phenyl, $-SO_2-NH_2$, phenyl, phenylmethyl, 2-, 3- or 4-pyridinyl, 1-pyrrolyl, whereby said phenyl, pyridinyl and pyrrolyl may have one or more substituents selected from the group consisting of halo, NO_2 , C_{1-3} -alkyl and CF_3 ;
wherein R^{N1} , R^{N2} each independently represent H or (C_{1-6}) alkyl, whereby R^{N1} and R^{N2} may be covalently bonded to each other to form together with the N-atom to which they are attached to a 4 to 7-membered heterocycle whereby the $-CH_2-$ group at the position 4 of a 6 or 7-membered heterocycle may be replaced by $-O-$, $-S-$ or $-NR^{N3}-$ wherein R^{N3} represents H, $-C(O)OR^{22}$, (C_{1-6}) alkyl, (C_{3-7}) cycloalkyl or (C_{3-7}) cycloalkyl- (C_{1-3}) alkyl, wherein R^{22} is H or (C_{1-4}) alkyl;

or a pharmaceutically acceptable salt thereof.

Claim 18 (currently amended): The compound of formula 1 according to claim 17 wherein Ar^1 is



wherein R^{12} is selected from the group consisting of



wherein R^{13} , R^{14} , R^{15} , R^{20A} , R^{30} , R^{31} , R^{32} and R^{33} are as defined in claim 17.

Claim 19 (original): The compound of formula 1 according to claim 18 wherein

R^{13} represents Cl or Br and

if R^9 is NO_2 , Cl or Br, then R^{13} may also represent F or CH_3 ;


R^{14} , R^{15} ,

R^{31} , R^{32} ,


R^{33} are each independently selected from the group consisting of H, (C_{1-6}) alkyl, (C_{3-7}) cycloalkyl, (C_{3-7}) cycloalkyl- (C_{1-3}) alkyl, (C_{2-6}) alkenyl, O- (C_{1-4}) alkyl, S- (C_{1-4}) alkyl, halo, CF_3 , OCF_3 , OH, NO_2 , CN, SO_2NH_2 , SO_2 -($\text{C}_{1-4})$ alkyl, $\text{C}(\text{O})\text{OR}^1$ wherein R^1 is H or (C_{1-4}) alkyl, or NR^2R^3 wherein R^2 and R^3 each independently is H or (C_{1-4}) alkyl; and R^{30} represents Cl or Br.


Claim 20 (original): The compound of formula 1 according to claim 19 wherein **W** is $\text{CH}_2\text{C}(\text{O})\text{NH}$.

Claim 21 (original): A compound according to claim 17 wherein



wherein R^{12} is selected from the group consisting of






X is S;


W is $\text{CH}_2\text{C}(\text{O})\text{NR}^6$ wherein R^6 is H or (C_{1-4}) alkyl; and

Ar^2 is




wherein R^9 is halo or NO_2 ; or

Ar^2 is



wherein R^9 is halo or NO_2 and R^{10} is halo; or


Ar^2 is




wherein R^9 is halo or NO_2 , and R^{10} is OMe, halo, OH, NO_2 , phenyl, $\text{C}(\text{O})\text{OH}$ or $\text{C}(\text{O})\text{OMe}$.

Claim 22 (canceled)


Claim 23 (original): A compound of formula 1, according to claim 17, wherein Ar^1 is:



and wherein R^{12} selected from the group consisting of:




and



Claim 24 (canceled)

Claim 25 (currently amended): A compound of formula 1, according to claim 17, wherein

Ar^2 is selected from the group consisting of



wherein R^9 is Cl or NO_2 and


R^{10A} is C_{1-4} alkyl;


R^{10} is selected from the group consisting of (C_{1-4}) alkyl, (C_{3-7}) cycloalkyl, (C_{3-7}) cycloalkyl- (C_{1-3}) alkyl, (C_{2-6}) alkenyl, $O(C_{1-6})$ alkyl, $S(C_{1-6})$ alkyl, halo, CF_3 , OCF_3 , OH, NO_2 , CN, $-NR^{N1}R^{N2}$, $-C(O)R^{21}$, $-(C_{1-3})$ alkyl- $C(O)R^{21}$, $-C(O)OR^{22}$, $-(C_{1-3})$ alkyl- $C(O)OR^{22}$, $-SO_2-(C_{1-3})$ alkyl- $C(O)OR^{22}$, $-(C_{1-3})$ alkyl- $C(O)NH_2$, $C(O)NH_2$, $-S(O)-(C_{1-6})$ alkyl, $-SO_2-(C_{1-6})$ alkyl, $-SO_2$ -phenyl, $-SO_2-NH_2$, phenyl, phenylmethyl, phenyl- SO_2 -, 2-, 3- or 4-pyridinyl, 1-pyrrolyl, whereby said phenyl, pyridinyl and pyrrolyl may have one or more substituents selected from the group consisting of halo, NO_2 , C_{1-3} -alkyl and CF_3 ;

wherein R^{21} is (C_{1-4}) alkyl and R^{22} is H or (C_{1-4}) alkyl;

wherein R^{N1} , R^{N2} each independently represent H or (C_{1-6}) alkyl, whereby R^{N1} and R^{N2} may be covalently bonded to each other to form together with the N-atom to which they are attached to a 4 to 7-membered heterocycle whereby the $-CH_2$ -group at the position 4 of a 6 or 7-membered heterocycle may be replaced by $-O-$, $-S-$ or $-NR^{N3}-$ wherein R^{N3} represents H, $-C(O)OR^{22}$, (C_{1-6}) alkyl, (C_{3-7}) cycloalkyl or (C_{3-7}) cycloalkyl- (C_{1-3}) alkyl, wherein R^{22} is H or (C_{1-4}) alkyl.

Claim 26 (original): A compound of formula 1, according to claim 25, wherein Ar^2 is:





Claim 27 (canceled)

Claim 28 (original): A pharmaceutical composition comprising a compound of formula **1** as defined in claim 17, or a pharmaceutically acceptable salt thereof, and optionally one or more pharmaceutically acceptable carriers.

Claim 29 (canceled)

Claim 30 (original): A pharmaceutical composition for the treatment of HIV infection, comprising a compound of formula **1** as defined in claim 17, or a pharmaceutically acceptable salt thereof.

Claim 31 (canceled)